

序号 item	产品代码 part no.	轮辋型号 rim size	轮辋板厚 rim thickness	轮辐板厚 disc thickness	风孔形式 hand hole	风孔数 hand hole no.	螺孔数 nut no.	螺孔直径 nut dia.	螺孔形式 nut type	分布圆/直 径P. C. D	中孔直径 C. B. D	偏距Offset
1	3191401	19.5×14.00	6	13	30×63椭圆/Oval	10	10	26	ISO	φ 335	281	120
2	3227508	22.5×7.50	6	13	85x70椭圆/Oval	10	10	26	ISO	φ 335	281	165
3	3227525	22.5×7.50	6	11	扇形	5	10	26	ISO	φ 285.75	220	165
4	3227532	22.5×7.50	6	13.5	Φ 70圆/circle	8	8	31.5	SR22	φ 285	222	165
5	5227548	22.5×7.50	6	13	Φ 70圆/circle	8	8	24	ISO	φ 275	221	153
6	6227505	22.5×7.50	4.5	12.25	85x70椭圆/Oval	10	10	26	ISO	φ 335	281	165
7	6227506	22.5×7.50	4.5	13	85x70椭圆/Oval	10	10	26	ISO	φ 335	281	165
8	7227544	22.5×7.50	6	13.5	Φ 70圆/circle	8	8	26	ISO	φ 275	222	165
9	3228204	22.5×8.25H	6	13	Φ 70圆/circle	10	10	26	ISO	φ 335	281	169
10	3228225	22.5×8.25	6	11	100x74椭圆/Oval	2	10	26	ISO	φ 285.75	220	168
11	3228226	22.5×8.25	4.5	11	100x74椭圆/Oval	5	10	26	ISO	φ 285.75	220	168
12	3228231	22.5×8.25	6.5	13.5	Φ 70圆/circle	8	8	31.5	SR22	φ 285	222	169
13	3228237	22.5×8.25	6.5	15.5	Φ 70圆/circle	8	8	31.5	SR22	φ 285	222	169
14	3228238	22.5×8.25	6	13.5	Φ 70圆/circle	8	8	31.5	SR22	φ 285	222	169
15	5228204	22.5×8.25	6.5	15.5	Φ 70圆/circle	10	10	26	ISO	φ 335	281	169
16	5228206	22.5×8.25	6	13.5	Φ 70圆/circle	10	10	26	ISO	φ 335	281	169
17	5228221	22.5×8.25	6	11.75	100x74椭圆/Oval	2	10	26	ISO	φ 285.75	220	168
18	5228222	22.5×8.25	6	11.75	100x74椭圆/Oval	5	10	26	ISO	φ 285.75	220	168
19	5228229	22.5×8.25	6	13	Φ 70圆/circle	10	10	26	ISO	φ 285.75	220	169

序号 item	产品代码 part no.	轮辋型号 rim size	轮辋板厚 rim thickness	轮辐板厚 disc thickness	风孔形式 hand hole	风孔数 hand hole no.	螺孔数 nut no.	螺孔直径 nut dia.	螺孔形式 nut type	分布圆/直 径P. C. D	中孔直径 C. B. D	偏距Offset
20	5228230	22.5×8.25	6	13.5	Φ70圆/circle	8	8	31.5	SR22	φ285	222	165
21	5228239	22.5×8.25	6	13.5	Φ70圆/circle	8	8	31.5	SR22	φ285	222	169
22	6228203	22.5×8.25	4.5	13	Φ70圆/circle	10	10	26	ISO	φ335	281	169
23	6228207	22.5×8.25	4.5	13	Φ70圆/circle	10	10	26	ISO	φ335	281	169
24	6228230	22.5×8.25	4.5	13	Φ70圆/circle	8	8	31.5	SR22	φ285	222	169
25	6228231	22.5×8.25	4.5	13	Φ70圆/circle	8	8	31.5	SR22	φ285	222	169
26	6228233	22.5×8.25	6	13.5	Φ70圆/circle	8	8	32.5	SR22	φ285	221	169
27	7228231	22.5×8.25	6	15.5	Φ70圆/circle	8	8	31.5	SR22	φ285	222	169
28	7228236	22.5×8.25	4.5	13	Φ70圆/circle	8	8	32.5	SR22	φ285	221	169
29	8228205	22.5×8.25	6.75	14	85x70椭圆/Oval	10	10	26	ISO	φ335	281	169
30	8228215	22.5×8.25	4.5	11	100x74椭圆/Oval	2	10	31.5	SR22	φ285.75	222	168
31	8228218	22.5×8.25	4.2	11	100x74椭圆/Oval	2	10	31.5	SR22	φ285.75	222	168
32	8228221	22.5×8.25	5.5	13.5	Φ70圆/circle	10	10	26	ISO	φ285.75	220	168
33	9228201	22.5×8.25	6	13	85x70椭圆/Oval	10	10	26	ISO	φ335	281	169
34	9228202	22.5×8.25	6	13.5	Φ70圆/circle	10	10	26	ISO	φ335	281	165
35	9228224	22.5×8.25	4.5	11	100x74椭圆/Oval	2	10	26	ISO	φ285.75	220	168
36	9228226	22.5×8.25	4.2	11	100x74椭圆/Oval	5	10	26	ISO	φ285.75	220	168
37	9228228	22.5×8.25	4.2	11	100x74椭圆/Oval	2	10	26	ISO	φ285.75	220	168
38	B228205	22.5×8.25	4.5	13	85x70椭圆/Oval	10	10	26	ISO	φ335	281	169

序号 item	产品代码 part no.	轮辋型号 rim size	轮辋板厚 rim thickness	轮辐板厚 disc thickness	风孔形式 hand hole	风孔数 hand hole no.	螺孔数 nut no.	螺孔直径 nut dia.	螺孔形式 nut type	分布圆/直 径P. C. D	中孔直径 C. B. D	偏距Offset
39	B228208	22.5×8.25H	6	13	Φ 83圆/circle	10	10	26	ISO	φ 335	281	169
40	B228221	22.5×8.25	6	15.5	Φ 70圆/circle	10	10	26	ISO	φ 285.75	220	169
41	3229000	22.5×9.00	6.5	13.5	Φ 70圆/circle	10	10	26	ISO	φ 335	281	175
42	5229004	22.5×9.00	6	13.5	Φ 70圆/circle	10	10	26	ISO	φ 335	281	175
43	6229001	22.5×9.00	6	15.5	Φ 70圆/circle	10	10	26	ISO	φ 335	281	175
44	6229007	22.5×9.00	6	13.5	Φ 70圆/circle	10	10	26	ISO	φ 335	281	175
45	6229008	22.5×9.00	5	13.5	Φ 70圆/circle	10	10	26	ISO	φ 335	281	175
46	7229002	22.5×9.00	6.5	18	Φ 70圆/circle	5	10	26	ISO	φ 335	281	175
47	7229008	22.5×9.00	6.5	15.5	85x70椭圆/Oval	10	10	26	ISO	φ 335	281	175
48	7229023	22.5×9.00	5	13.5	Φ 70圆/circle	10	10	26	ISO	φ 285.75	220	175
49	8229001	22.5×9.00	5	15.5	Φ 70圆/circle	10	10	26	ISO	φ 335	281	175
50	8229002	22.5×9.00	6	15	Φ 70圆/circle	10	10	26	ISO	φ 335	281	175
51	8229005	22.5×9.00	5.5	15	Φ 70圆/circle	10	10	26	ISO	φ 335	281	175
52	9229003	22.5×9.00	6.5	15.5	Φ 70圆/circle	10	10	26	ISO	φ 335	281	168
53	B229001	22.5×9.00	4.7	12.25	85x70椭圆/Oval	10	10	26	ISO	φ 335	281	175
54	B229004	22.5×9.00	5	13	Φ 70圆/circle	10	10	26	ISO	φ 335	281	175
55	H229005	22.5×9.00	4.2	12.25	Φ 70圆/circle	10	10	26	ISO	φ 335	281	175
56	6221107	22.5×11.75H	6	13	φ 36圆/circle	20	10	26	ISO	φ 335	281	0
57	7221102	22.5×11.75H	6	13	Φ 70圆/circle	10	10	26	ISO	φ 335	281	120

序号 item	产品代码 part no.	轮辋型号 rim size	轮辋板厚 rim thickness	轮辐板厚 disc thickness	风孔形式 hand hole	风孔数 hand hole no.	螺孔数 nut no.	螺孔直径 nut dia.	螺孔形式 nut type	分布圆/直 径P. C. D	中孔直径 C. B. D	偏距Offset
58	7221103	22.5×11.75H	6	11	φ 46圆/circle	10	10	26	ISO	φ 335	281	0
59	7221104	22.5×11.75H	6	13	85x70椭圆/Oval	10	10	26	ISO	φ 335	281	120
60	7221107	22.5×11.75H	6	11	φ 46圆/circle	20	10	26	ISO	φ 335	281	0
61	7221108	22.5×11.75H	6	13	φ 46圆/circle	20	10	26	ISO	φ 335	281	120
62	3248225	24.5×8.25	6	11.75	扇形	2	10	26	ISO	φ 285.75	220	168
63	3248229	24.5×8.25	5	11	100x74椭圆/Oval	2	10	26	ISO	φ 285.75	220	169
64	5248224	24.5×8.25	5	11	100x74椭圆/Oval	5	10	26	ISO	φ 285.75	220	169
65	8248219	24.5×8.25	5	11	100x74椭圆/Oval	2	10	31.5	SR22	φ 285.75	222	169
66	3248501	24×8.5	8	15.5	Φ 80圆/circle	10	10	26	ISO	φ 335	281	180